


High School Student Information (12 +)



2022-2023 COVID-19 QUICK-REFERENCE CHART

COVID-19 Symptomatic (Rapid or PCR Test)	COVID-19 Positive Case (Confirmed by PCR or Rapid Test)	COVID-19 Asymptomatic (*Close Contact with + Case)
<p><u>COME TO SCHOOL?</u></p> <p>No</p> <p>↓</p> <p><u>ISOLATION PERIOD</u></p> <p>24-36 hours (IF POSITIVE, REFER TO COLUMN 2)</p> <p>↓</p> <p><u>RETURN TO SCHOOL WHEN:</u></p> <ul style="list-style-type: none">• 2 Negative rapid tests administered 24-36 hours apart• No fever, vomiting or gastrointestinal symptoms <p>↓</p> <p><u>WHEN YOU RETURN:</u></p> <ul style="list-style-type: none">• Masking during social interaction while symptomatic• Self monitor for symptoms• Physical distancing• Avoid vulnerable people	<p><u>COME TO SCHOOL?</u></p> <p>No</p> <p>↓</p> <p><u>ISOLATION PERIOD</u></p> <p>5 Days (FROM START OF SYMPTOMS) (Up to 10 days if continue to test positive)</p> <p>↓</p> <p><u>RETURN TO SCHOOL WHEN:</u></p> <ul style="list-style-type: none">• ↓ in symptoms and no fever in 24 hours• No fever, vomiting or gastrointestinal symptoms <p>↓</p> <p><u>WHEN YOU RETURN:</u></p> <ul style="list-style-type: none">• Up to and including the full 10-day period from the onset of symptoms:<ul style="list-style-type: none">○ Continue masking○ Physical distancing○ Avoid vulnerable people	<p><u>COME TO SCHOOL?</u></p> <p>Yes</p> <p>↓</p> <p><u>ISOLATION PERIOD</u></p> <p>None</p> <p>↓</p> <p><u>WHAT NEXT:</u></p> <p>(FOR 10 DAYS FROM CONTACT WITH POSITIVE CASE)</p> <ul style="list-style-type: none">• Self-monitor for symptoms• Physical distancing• Avoid vulnerable people• Follow column 1 if symptoms develop
<ul style="list-style-type: none">• School remains open• Affected classroom=masked for 5 days as of date of reported positive case, when moving. Alone at desk can be unmasked• Not necessary to prolong isolation for each new positive case in the same family• Measures for vaccinated and unvaccinated students are the same• *Close contact means: proximity, duration in close contact, household members, sexual partner• Symptoms – 1 sym: fever, loss taste or smell, new or worsening cough, shortness of breath/difficulty breathing, sore throat 2 sym: runny nose/congest., headache, fatigue, muscle aches, loss appetite, nausea/vomiting, stomach ache or diarrhea		

